

Species Modeling Report

Ornate Chorus Frog


Pseudacris ornata

Taxa: Amphibian Order: Anura Family: Hylidae


SE-GAP Spp Code: aOCFR ITIS Species Code: 173531

NatureServe Element Code: AAABC05050

KNOWN RANGE:



PREDICTED HABITAT:



Range Map Link: http://www.basic.ncsu.edu/segap/datazip/maps/SE_Range_aOCFR.pdf Predicted Habitat Map Link: http://www.basic.ncsu.edu/segap/datazip/maps/SE_Dist_aOCFR.pdf GAP Online Tool Link: http://www.gapserve.ncsu.edu/segap/segap/index2.php?species=aOCFR http://www.basic.ncsu.edu/segap/datazip/region/vert/aOCFR_se00.zip Data Download:

PROTECTION STATUS:

Reported on March 14, 2011

Federal Status: ---

State Status: MS (Non-game species in need of management), NC (SR)

NS Global Rank: G5

NS State Rank: AL (S5), FL (SNR), GA (S5), LA (S1), MS (S1), NC (S3), SC (SNR)

aOCFR Page 1 of 4

SUMMARY OF PREDICTED HABITAT BY MANAGMENT AND GAP PROTECTION STATUS:

1	US FWS		US Forest Service		Tenn. Valley Author.		US DOD/ACOE	
	ha	%	ha	%	ha	%	ha	%
Status 1	14,156.0	< 1	2,389.3	< 1	0.0	0	0.0	0
Status 2	32,041.4	< 1	24,919.3	< 1	0.0	0	0.0	0
Status 3	3.2	< 1	181,436.9	4	0.0	0	75,398.1	2
Status 4	5.2	< 1	0.0	0	0.0	0	0.0	0
Total	46,205.9	<1	208,745.5	4	0.0	0	75,398.1	2
	US Dept. of Energy		US Nat. Park Service		NOAA		Other Federal Lands	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	7,947.2	< 1	8.6	< 1	706.9	< 1
Status 2	0.0	0	1,356.0	< 1	1,336.1	< 1	0.0	0
Status 3	13,565.2	< 1	84.2	< 1	0.0	0	1,051.8	< 1
Status 4	0.0	0	0.0	0	0.0	0	0.0	0
Total	13,565.2	< 1	9,387.5	< 1	1,344.6	< 1	1,758.7	< 1
	Native Am. Reserv.		State Park/Hist. Park		State WMA/Gameland		State Forest	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	76.1	< 1	0.0	0	0.0	0
Status 2	0.0	0	568.7	< 1	185,516.2	4	0.0	0
Status 3	2.6	< 1	146,444.9	3	18,248.7	< 1	81,580.1	2
Status 4	0.0	0	< 0.1	< 1	2,160.4	< 1	3.6	< 1
Total	2.6	<1	147,089.9	3	205,925.2	4	81,583.7	2
1	State Coastal Reserve		ST Nat.Area/Preserve		Other State Lands		Private Cons. Easemt.	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	103.8	< 1	0.0	0	0.0	0
Status 2	787.0	< 1	18,372.7	< 1	0.0	0	318.2	< 1
Status 3	0.0	0	643.5	< 1	4,243.2	< 1	32,040.6	< 1
Status 4	0.0	0	0.0	0	691.2	< 1	0.0	0
Total	787.0	< 1	19,120.0	< 1	4,934.4	< 1	32,358.8	< 1
· 	Private Land - I	No Res.		Water			Overa	ıll Total
	ha	%	ha	%			ha	%
Status 1	0.0	0	0.0	0			25,387.8	< 1
Status 2	0.0	0	0.0	0			265,215.5	5
Status 3	428.3	< 1	0.0	0			555,171.4	15
Status 4	3,959,260.0	79	3,640.7	< 1			3,967,916.3	79
Total	3,959,688.3	79	3,640.7	< 1			4,813,691.0	100

GAP Status 1: An area having permanent protection from conversion of natural land cover and a mandated management plan in operation to maintain a natural state within which disturbance events (of natural type, frequency, and intensity) are allowed to proceed without interference or are mimicked through management.

GAP Status 2: An area having permanent protection from conversion of natural land cover and a mandated management plan in operation to maintain a primarily natural state, but which may receive use or management practices that degrade the quality of existing natural communities.

GAP Status 3: An area having permanent protection from conversion of natural land cover for the majority of the area, but subject to extractive uses of either a broad, low-intensity type or localized intense type. It also confers protection to federally listed endangered and threatened species throughout the area.

GAP Status 4: Lack of irrevocable easement or mandate to prevent conversion of natural habitat types to anthropogenic habitat types. Allows for intensive use throughout the tract. Also includes those tracts for which the existence of such restrictions or sufficient information to establish a higher status is unknown.

aOCFR Page 2 of 4

PREDICTED HABITAT MODEL(S):

Year-round Model:

Habitat Description: Ornate Chorus frog is a common inhabitant of pine flatwoods, flooded fields, Carolina Bays, and flooded bottomland hardwoods. This species requires sandy soils for burrowing and prefers open pine woodlands for terrestrial habitat. They need a breeding environment of shallow, transient pools or ponds, often where there are abundant grasses and other emergent vegetation. ALS Feb 05

> Ecosystem Classifiers: Dry/Dry Mesic Evergreen-Longleaf (excludes Sandhill longleaf, and schrub modifiers), Ag Pasture, Wetlands (Flatwoods-no schrub modifiers, Depression-Carolina Bays, Pocosins, and baygalls), Lakes/Pondshore). ALS Feb05

Hydrography Mask:

Freshwater Only

Utilizes open water features with buffers of 60m from and 30m into selected water features.

Utilizes wet vegetation features with buffer of unlimited into selected vegetation features.

Functional Group	Map Unit Name			
Anthropogenic	Pasture/Hay			
Forest/Woodland	Atlantic Coastal Plain Upland Longleaf Pine Woodland			
Forest/Woodland	East Gulf Coastal Plain Interior Shortleaf Pine-Oak Forest - Pine Modifier			
Forest/Woodland	East Gulf Coastal Plain Interior Upland Longleaf Pine Woodland - Loblolly Modifier			
Forest/Woodland	East Gulf Coastal Plain Interior Upland Longleaf Pine Woodland - Open Understory Modifier			
Forest/Woodland	Florida Longleaf Pine Sandhill - Open Understory Modifier			
Forest/Woodland	Southeastern Interior Longleaf Pine Woodland			
Forest/Woodland	Southern Piedmont Dry Oak-(Pine) Forest - Loblolly Pine Modifier			
Water	Open Water (Fresh)			
Wetlands	Atlantic Coastal Plain Blackwater Stream Floodplain Forest - Forest Modifier			
Wetlands	Atlantic Coastal Plain Blackwater Stream Floodplain Forest - Herbaceous Modifier			
Wetlands	Atlantic Coastal Plain Brownwater Stream Floodplain Forest			
Wetlands	Atlantic Coastal Plain Clay-Based Carolina Bay Forested Wetland			
Wetlands	Atlantic Coastal Plain Clay-Based Carolina Bay Herbaceous Wetland			
Wetlands	Atlantic Coastal Plain Depression Pondshore			
Wetlands	Atlantic Coastal Plain Large Natural Lakeshore			
Wetlands	Atlantic Coastal Plain Northern Pondshore			
Wetlands	Atlantic Coastal Plain Northern Wet Longleaf Pine Savanna and Flatwoods			
Wetlands	Atlantic Coastal Plain Peatland Pocosin			
Wetlands	Atlantic Coastal Plain Small Blackwater River Floodplain Forest			
Wetlands	Atlantic Coastal Plain Small Brownwater River Floodplain Forest			
Wetlands	Atlantic Coastal Plain Southern Wet Pine Savanna and Flatwoods			
Wetlands	Atlantic Coastal Plain Streamhead Seepage Swamp, Pocosin, and Baygall			
Wetlands	Central Florida Herbaceous Pondshore			
Wetlands	Central Florida Herbaceous Seep			
Wetlands	Central Florida Pine Flatwoods			
Wetlands	East Gulf Coastal Plain Jackson Plain Dry Flatwoods - Open Understory Modifier			
Wetlands	East Gulf Coastal Plain Large River Floodplain Forest - Forest Modifier			
Wetlands	East Gulf Coastal Plain Large River Floodplain Forest - Herbaceous Modifier			
Wetlands	East Gulf Coastal Plain Near-Coast Pine Flatwoods - Offsite Hardwood Modifier			
Wetlands	East Gulf Coastal Plain Near-Coast Pine Flatwoods - Open Understory Modifier			
Wetlands	East Gulf Coastal Plain Northern Depression Pondshore			
Wetlands	East Gulf Coastal Plain Small Stream and River Floodplain Forest			
Wetlands	East Gulf Coastal Plain Southern Depression Pondshore			
Wetlands	East Gulf Coastal Plain Southern Loblolly-Hardwood Flatwoods			
Wetlands	East Gulf Coastal Plain Treeless Savanna and Wet Prairie			

aOCFR Page 3 of 4

Wetlands	Lower Mississippi River Bottomland and Floodplain Forest
Wetlands	Lower Mississippi River Bottomland Depressions - Forest Modifier
Wetlands	Lower Mississippi River Bottomland Depressions - Herbaceous Modifier
Wetlands	Mississippi River Riparian Forest
Wetlands	South Florida Cypress Dome
Wetlands	South Florida Hardwood Hammock
Wetlands	Southern Coastal Plain Blackwater River Floodplain Forest
Wetlands	Southern Coastal Plain Herbaceous Seepage Bog
Wetlands	Southern Coastal Plain Hydric Hammock
Wetlands	Southern Coastal Plain Nonriverine Basin Swamp
Wetlands	Southern Coastal Plain Nonriverine Cypress Dome
Wetlands	Southern Coastal Plain Seepage Swamp and Baygall
Wetlands	Southern Coastal Plain Spring-run Stream Aquatic Vegetation

CITATIONS:

Behler, J. L., and F. W. King. 1979. The Audubon Society field guide to North American reptiles and amphibians. Alfred A. Knopf, New York. 719 pp.

Caldwell, J. P. 1987. Demography and life history of two species of chorus frogs (Anura: Hylidae) in South Carolina. Copeia 1987:114-

Carr, A. F., Jr. 1940. A contribution to the herpetology of Florida. Univ. Florida Biol. Sci. Ser.

Cocroft, R. B. 1994. A cladistic analysis of chorus frog phylogeny (Hylidae: PSEUDACRIS). Herpetologica 50:420-437.

Conant, R. 1975. A Field Guide to Reptiles and Amphibians of Eastern and Central North America. Second Edition. Houghton Mifflin Company, Boston, Massachusetts. xvii + 429 pp.

Martof, B. S., W. M. Palmer, J. R. Bailey, and J. R. Harrison, III. 1980. Amphibians and reptiles of the Carolinas and Virginia. University of North Carolina Press, Chapel Hill, North Carolina. 264 pp.

Mount, R. H. 1975. The Reptiles and Amphibians of Alabama. Auburn University Agricultural Experiment Station, Auburn, Alabama. vii + 347 pp.

Pechmann, J. H. K., et al. 1991. Declining amphibian populations: the problem of separating human impacts from natural fluctuations. Science 253:892-895.

Wilson, L. A. 1995. The Land Manager's Guide to the amphibians and reptiles of the South. Chapel Hill, NC: The Nature Conservancy.

For more information:: SE-GAP Analysis Project / BaSIC 127 David Clark Labs Dept. of Biology, NCSU Raleigh, NC 27695-7617 (919) 513-2853 www.basic.ncsu.edu/segap

Compiled: 15 September 2011

This data was compiled and/or developed by the Southeast GAP Analysis Project at The Biodiversity and Spatial Information Center, North Carolina State University

aOCFR Page 4 of 4